

# Summarization for termination: no return!

Byron Cook · Andreas Podelski · Andrey Rybalchenko

Published online: 13 October 2009  
© Springer Science+Business Media, LLC 2009

**Abstract** We propose a program analysis method for proving termination of recursive programs. The analysis is based on a reduction of termination to two separate problems: reachability of recursive programs, and termination of non-recursive programs. Our reduction works through a program transformation that modifies the call sites and removes return edges. In the new, non-recursive program, a procedure call may non-deterministically enter the procedure body (which means that it will never return) or apply a summary statement.

**Keywords** Program verification · Model checking · Termination · Recursion · Summarization

## 1 Introduction

The extension of Hoare logic for reasoning about recursive programs is by now well-understood (see, e.g., [12]). In contrast, the treatment of recursion in program analysis continues to be an active research topic [6, 13, 14, 16, 18–20, 22, 29–33], as we continue to search for appropriate abstract domains for analyzing the stack as an infinite data structure. This issue is circumvented if one switches from a trace-based semantics to relational semantics (a procedure denotes a binary relation between entry and exit states). The drawback, however, is that one loses the direct connection to trace-based properties: reachability

---

B. Cook (✉)  
Microsoft Research, Cambridge, UK  
e-mail: [byroncook@gmail.com](mailto:byroncook@gmail.com)

B. Cook  
Queen Mary, University of London, London, UK

A. Podelski  
University of Freiburg, Freiburg, Germany

A. Rybalchenko  
Max Planck Institute for Software Systems (MPI-SWS), Saarbrücken, Germany

and termination, and thus partial and total correctness (or, more generally and especially for concurrent programs, safety and liveness). A breakthrough in this regard was obtained by the framework for interprocedural analysis in [30].

The contribution of the framework [30] is a refinement of the relational semantics, a refinement that accounts for traces—an interprocedural analysis is used to compute an effective abstraction of this semantics, but this issue is orthogonal. To be precise, the refinement of the relational semantics in [30] accounts for finite prefixes of traces, as opposed to infinite traces. As a consequence, it retrieves the connection between the relational semantics and reachability, and thus partial correctness. The framework [30] left open the question of an analogous refinement of the relational semantics that accounts for full traces and thus also retrieves the connection between the relational semantics and termination, and thus total correctness. In this paper, we do exactly that.

*Related work* The technical contribution of our work is (to the best of our knowledge) the first practical interprocedural program analysis for automatic termination and total correctness proofs. Our work differs from previous work on interprocedural program analysis by the extension of its scope from partial to total correctness. Our work differs from previous work on automatic termination proofs which was restricted to non-recursive imperative programs (e.g., [8–11, 27]) or to programs in declarative languages (e.g., [23, 24]); in both those cases the above-mentioned dichotomy between the trace-based semantics and the denotational (relational) semantics is not an issue. Our work differs from existing work on model checking of temporal properties (in generalization of termination and total correctness) for finite models augmented with one stack data structure (e.g., [4, 14, 21]) by the extension of its scope to general programs.

Our TERMINATOR termination prover [11] is, in some cases, capable of proving termination of recursive programs. These are cases when a precise relationship between the interplay between the stack and states in the transitive closure of the programs transition relation are not important, as we abstract this information away in previous work. TERMINATOR can, for example, prove the termination of Ackermann’s function, while it fails to prove the termination of Fibonacci’s function.

Our work distinguishes itself from both existing interprocedural analysis and model checking, e.g., [3, 5, 7, 15], by the way abstraction is introduced. It is well-known that the finitary abstraction of valuations of infinite data structures is bound to lose the termination property. Instead, one needs to abstract pairs of consecutive states (e.g., by the fact that the variable  $x$  properly decreases its value). This relational abstraction of programs interferes in intricate ways with the abstraction of the relational semantics of a procedure. This is one reason why it is practically mandatory to separate the reasoning about recursion (which requires the abstraction of the relational semantics) and the reasoning about termination (which requires relational abstraction).

The work in [28] extends the proof rule for termination based on the disjunctive well-foundedness of transition invariants [25], from non-recursive to recursive programs. This proof rule relies on transitive closure, which is what summaries are based on implicitly. In contrast, our work presents a program analysis method that is orthogonal to the particular termination analysis and the particular termination proof rule used in the termination analysis.

The framework of visibly pushdown languages [1, 2] can be used as an alternative formal foundation for our method. We leave an exploration of this research direction for future work.

## 2 Partial correctness

We use the framework of [30] and follow its notation.

*Programs with procedures* We assume that a program  $P$  is given by a set of procedures together with a set of global variables  $V$ . We write  $g$  to refer to a valuation of global variables, and let  $G$  be the set of all such valuations. Each procedure  $p \in P$  has a set of local variables  $V_p$  that includes a program counter variable  $pc_p$  that ranges over the set of nodes in the procedure’s control-flow graph that we describe below. We shall omit the indexing by the procedure name when it is determined by the context and write  $pc$ . We refer to a valuation of local variables as  $l$ , and write  $L_p$  for the set of all such valuations. The union over all program procedures  $\bigcup_{p \in P} L_p$  is denoted by  $L_{\cup P}$ . Let  $g_{init}$  and  $l_{init}$  be an initial valuation of global variables and an initial valuation of local variables of some procedure, say  $p_{main}$ , respectively. Without loss of generality, we assume that the procedure  $p_{main}$  is not recursive, which can be ensured by a straightforward modification of  $P$ . A procedure  $p$  is represented by a control-flow graph with a set of nodes  $N_p$  and a set of edges  $E_p$ . We assume that the sets of procedure nodes are pairwise disjoint, i.e., for each  $p \neq q \in P$  we have that  $N_p \cap N_q = \emptyset$ . We write  $E_{\cup P}$  for the set of all edges, i.e.,  $E_{\cup P} = \bigcup_{p \in P} E_p$ . The set of nodes  $N_p$  contains a unique start node  $s_p$  and a unique exit node  $e_p$ . We assume that the return value of the procedure, if any, is passed to a global variable before the procedure exists. Since we use  $g_{init}$  and  $l_{init}$  to represent the starting point of the program, we have that the corresponding program counter evaluates to a start node, i.e.,  $l_{init}(pc) = s_{p_{main}}$ .

The program nodes are labeled with program statements by a function  $\mathcal{L}$ . We assume that the start node  $s_p$  and the exit node  $e_p$  of each procedure  $p \in P$  are labeled by  $START(p)$  and  $EXIT(p)$ , respectively. We consider three kinds of statement: operations (e.g. assignments, intra-procedural control-flow statements), procedure calls, and returns from a procedure. The corresponding labels are of the form  $OP(\tau)$ ,  $CALL(q, \tau)$ , and  $RETURN(q)$ , where  $q \in P$  is a program procedure and  $\tau$  is a transition from a set of transitions  $\mathcal{T}$ . We assume that for each node  $n$  labeled with  $CALL(q, \tau)$  there exists a unique successor node  $n'$  and that the label of  $n'$  is  $RETURN(q)$ . For a transition  $\tau$  that occurs in a node label in a procedure  $p$ , the corresponding binary transition relation  $\rho_\tau$  has domain and range sets as follows:

$$\begin{aligned} \rho_\tau &\subseteq (G \times L_p) \times (G \times L_p), & \text{if } \tau \text{ occurs in } OP(\tau), \\ \rho_\tau &\subseteq (G \times L_p) \times (G \times L_q), & \text{if } \tau \text{ occurs in } CALL(q, \tau). \end{aligned}$$

Let  $skip_p$  be the skip transition such that  $\rho_{skip_p}$  is the identity relation over the pairs of the valuations of global and  $p$ -local variables, i.e.,

$$\rho_{skip_p} = \{((g, l), (g, l)) \mid g \in G \text{ and } l \in L_p\}.$$

We omit the indexing if the procedure is clear from the context and write  $skip$ .

We now consider triples  $(g, l, st)$ , where  $g \in G$ ,  $l \in L_{\cup P}$ , and  $st \in L_{\cup P}^*$ . The sequence  $st$  is called a stack. We write  $\varepsilon$  to represent the empty stack, and use  $l \cdot st$  to represent a new stack with state  $l$  on top of a stack  $st$ .

The transition relation  $\mathcal{R}$  of the program  $P$  consists of pairs of such triples. We construct  $\mathcal{R}$  using transition relations that are associated with the procedure nodes in the following way.

$$\begin{aligned} \mathcal{R} = & \{((g, l, st), (g', l', l \cdot st)) \mid \mathcal{L}(l(\text{pc})) = \text{CALL}(q, \tau) \text{ and } ((g, l), (g', l')) \in \rho_\tau\} \\ & \cup \{((g, l, l' \cdot st), (g, l', st)) \mid \mathcal{L}(l(\text{pc})) = \text{EXIT}(q)\} \\ & \cup \{((g, l, st), (g', l', st)) \mid \mathcal{L}(l(\text{pc})) = \text{OP}(\tau) \text{ and } ((g, l), (g', l')) \in \rho_\tau \\ & \text{and } (l(\text{pc}), l'(\text{pc})) \in E_{UP}\} \end{aligned}$$

By abuse of notation, the condition  $((g, l), (g', l')) \in \rho_\tau$  here refers to the canonical extension of the relation  $\rho_\tau$ , namely from  $L_p$  (the set of valuations of the local variables  $l$  of a single procedure) to  $L_{UP}$  (the set of valuations of the local variables  $l$  of all procedures). If  $\tau$  occurs in the label  $\text{OP}(\tau)$  of a node in procedure  $p$  then the canonical extension of the relation  $\rho_\tau$  updates only the variables in  $L_p$ . If  $\tau$  occurs in  $\text{CALL}(q, \tau)$  then it updates only the variables  $L_q$ .

A computation segment of the program  $P$  is a consecutive sequence  $\sigma = \sigma_0, \sigma_1, \dots$  of triples  $(g, l, st)$ . Consecutive means that each pair  $(\sigma, \sigma')$  satisfies the transition relation of the program, i.e.,  $(\sigma, \sigma') \in \mathcal{R}$ . A computation is an initial computation segment. Initial means that the first triple is initial, i.e.,  $\sigma_0 = (g_{\text{init}}, l_{\text{init}}, \varepsilon)$ . A reachable computation segment is a finite consecutive sequence  $\sigma = \sigma_i, \sigma_{i+1}, \dots, \sigma_j$  of reachable triples; i.e.,  $\sigma_i$  is reachable in a computation.

*Summarization* A *summary* is a binary relation

$$\text{SUMMARY} \subseteq (G \times L_{UP}) \times (G \times L_{UP}).$$

The summary SUMMARY contains all pairs  $(g, l)$  and  $(g', l')$  such that  $l(\text{pc}) = s_p, l'(\text{pc}) = e_p$ , and there exists a reachable computation segment  $(g_1, l_1, st_1), \dots, (g_n, l_n, st_n)$  that satisfies the following property. The segment connects  $(g, l)$  with  $(g', l')$ , and the content of the stack at the intermediate steps is an extension of the stack content at the beginning of the segment. formally, we require that

$$\begin{aligned} g_1 &= g, & l_1 &= l, & g_n &= g', & l_n &= l', & st_1 &= st_n, \\ st_i &= st'_i \cdot st_1, & \text{for each } 1 < i < n, & \text{where } st'_i &\in L_{UP}^+. \end{aligned}$$

Given a call node  $n$ , we define  $\text{SUMMARY}(n)$  to be the projection of the summary SUMMARY to the pairs that correspond to the procedure called at the node  $n$ .

Figure 1 presents the computation of summaries following [30]. For now we omit practical details, such as guaranteeing the termination of the summarization procedure via an abstraction function  $\alpha$ , which are standard and performed by the existing software verification tools.

The algorithm in Fig. 1 computes summaries (i.e., the refined relational semantics of the program). More formally, a pair of valuations  $(s_1, s_2)$  belongs to the summary SUMMARY if and only if it is eventually added by the algorithm (“if and only if” assumes a precise abstraction  $\alpha$ ; only one direction holds according to whether the abstraction  $\alpha$  induces an over- or an under-approximation). The sets  $WL, PE, PE'$  used in the algorithm are the usual data structures for a fixpoint-based transitive closure computation. The transitive closure is restricted to pairs of valuations  $(s_1, s_2)$  whose first component has been seeded at some point. Seeding  $s_1$  is encoded by adding the pair  $(s_1, s_1)$  to  $PE'$ . A valuation  $s_1$  is seeded if two conditions holds. (1) It has been recognized as reachable, which means that it occurs in the second component of some pair added to the (restricted) transitive closure. (2) It is an entry valuation, i.e., its program counter value is a start node  $s_p$  of some procedure  $p$ .

```

function SUMMARIZE
input
   $P$  : program
vars
   $PE, PE'$  : path edge relations
   $WL$  : worklist
begin
1   $WL := \emptyset$ 
2   $PE := \emptyset$ 
3   $PE' := \alpha(\{(g_{init}, l_{init}), (g_{init}, l_{init})\})$ 
4   $SUMMARY := \emptyset$ 
5  do
6     $WL := WL \cup (PE' \setminus PE)$ 
7     $PE := PE'$ 
8     $((g_1, l_1), (g_2, l_2)) := \text{select and remove from } WL$ 
9    match  $\mathcal{L}(l_2(\text{pc}))$  with
10   |  $\text{CALL}(q, \tau) \rightarrow$ 
11      $PE' := \alpha(PE' \cup$ 
12        $\{(g_3, l_3), (g_3, l_3) \mid ((g_2, l_2), (g_3, l_3)) \in \rho_\tau\} \cup$ 
13        $\{(g_1, l_1), (g_4, l_2) \mid ((g_2, l_2), (g_3, l_3)) \in \rho_\tau \text{ and}$ 
14          $\text{exists } l_4 \in L_{\cup P} \text{ such that}$ 
15          $((g_3, l_3), (g_4, l_4)) \in SUMMARY\})$ 
16   |  $\text{EXIT}(q) \rightarrow$ 
17      $SUMMARY := SUMMARY \cup \{(g_1, l_1), (g_2, l_2)\}$ 
18      $PE' := \alpha(PE' \cup$ 
19        $\{(g_3, l_3), (g_2, l_4) \mid \text{exists } l_4 \in L_{\cup P} \text{ s.t.}$ 
20          $((g_3, l_3), (g_4, l_4)) \in PE' \text{ and}$ 
21          $\mathcal{L}(l_4(\text{pc})) = \text{CALL}(q, \tau) \text{ and}$ 
22          $((g_4, l_4), (g_1, l_1)) \in \rho_\tau\})$ 
23   |  $\text{OP}(\tau) \rightarrow$ 
24      $PE' := \alpha(PE' \cup$ 
25        $\{(g_1, l_1), (g_3, l_3) \mid ((g_2, l_2), (g_3, l_3)) \in \rho_\tau \text{ and}$ 
26        $(l_2(\text{pc}), l_3(\text{pc})) \in E_{\cup P}\})$ 
27   done
28 while  $WL \neq \emptyset$ 
29 return  $SUMMARY$ 
end.

```

**Fig. 1** Computation of procedure summaries, following [30]. Our formulation take an abstraction function  $\alpha$  that overapproximates binary relations over the valuations of global and local variables. The abstraction is applied on-the-fly to achieve a desired efficiency/precision trade-off

[Line 3] The two conditions hold for the initial valuation  $s_{init}$  given by  $(g_{init}, l_{init})$ . The second condition holds by the assumption that its program counter valuates to the start node of the procedure  $p_{main}$ , i.e.,  $l_{init}(\text{pc}) = s_{p_{main}}$ . The first component of every pair in the restricted transitive closure is an entry valuation; this is an invariant of the algorithm.

The summary  $SUMMARY$  is the restriction of the transitive closure relation to pairs  $(s_1, s_2)$  whose second component  $s_2$  is an exit valuation, i.e., its program counter value is an exit node  $e_p$  of some procedure  $p$ . Its first component  $s_1$  is an entry valuation whose program counter value is a start node  $s_p$  of the same procedure.

The transitive closure computation takes a newly added pair  $(s_1, s_2)$ . There are three cases according to the label of the node of  $s_2$ .

[Line 23] In this case the node of  $s_2$  is labeled with an operation. The outgoing transition  $(s_2, s_3)$  is intraprocedural. The transitive closure computation is the classical one. It shortcuts a two consecutive transitions by one.

In the other two cases the transitive closure computation is more complicated. This is because either the outgoing or the incoming transition follows a call edge (from a call node to a start node) in the control flow graph.

[Line 10] In this case the node of  $s_2$  is a call node. The outgoing transition  $(s_2, s_3)$  follows an edge from a call node to a start node (and pushes the frame of local variables of the calling procedure onto the stack). Thus,  $s_3$  satisfies the two conditions for being seeded.

[Line 14] The transitive closure computation does not shortcut two transitions  $(s_1, s_2)$  and  $(s_2, s_3)$ . Instead, if the transitive closure computation has already produced a pair  $(s_3, s_4)$  whose second component is an exit valuation (thus, the pair  $(s_3, s_4)$  lies in the summary relation SUMMARY), then the transitive closure computation shortcuts the three consecutive transitions  $(s_1, s_2)$ ,  $(s_2, s_3)$  and  $(s_3, s_4)$ . The local variables in  $s - 2$  are not changed by the procedure call.

[Line 16] In this case the node of  $s_2$  is an exit node. Since the first component of every pair in the restricted transitive closure is an entry valuation, the entry-exit pair  $(s_1, s_2)$  belongs to the summary relation SUMMARY.

[Line 19] As in Line 14, the transitive closure computation takes three consecutive pairs, the third one being a summary and the second one corresponding to a call edge (an edge from a call to an entry node). The only difference with Line 14 is that now the pair  $(s_1, s_2)$  is the third of the three pairs. That is, the three consecutive pairs are of the form  $(s_3, s_4)$ , variables are not changed by a procedure call. This means that the local variables of  $s_4$  are preserved by the shortcut.


*Example 1* Consider the following program:

```

procedure main() begin
 $\ell_1$ :      z := *;
 $\ell_2$ :      f(z);
 $\ell_3$ :      exit
end

procedure f(x) begin
  local y initially 0;
 $\ell_4$ :      if x > 0 then
 $\ell_5$ :        y := 2;
 $\ell_6$ :        while y > 0 do
 $\ell_7$ :          z := z - 1;
 $\ell_8$ :          f(x - y);
 $\ell_9$ :          y := y - 1;
        done
  fi
 $\ell_{10}$ :     exit;
end

```



**Fig. 2** Control-flow graphs for procedures main and f from Example 1. The notation  $a(e)$  is shorthand for **assume**( $e$ )

where  $x$  is a parameter,  $y$  is local to  $f$ , and  $z$  is a shared variable. Thus,  $P = \{f, main\}$ ,  $V = \{z\}$ ,  $V_f = \{x, y\}$ ,  $V_{main} = \{\}$ ,  $N_f = \{s_f, e_f, l_4, l_5, \dots\}$ ,  $N_{main} = \{s_{main}, e_{main}, l_1, \dots\}$ .  $E_{main} = \{(s_{main}, l_1), (l_1, l_2), \dots\}$ ,  $E_f = \{(s_f, l_4), (l_4, l_5), \dots\}$ . See Fig. 2 for a complete picture.

The labeling map  $\mathcal{L}$  would include, for example  $\mathcal{L}(l_9) = OP(y := y - 1)$ , where

$$\rho_{(l_9; y:=y-1)} = \{((g, l), (g', l')) \mid l'(x) = l(x) \wedge l'(y) = l(y) - 1\}$$

$\mathcal{L}$  would also include the mapping  $\mathcal{L}(l_8) = CALL(f, x := x - y)$ .

We know, for example, that the relation

$$\begin{aligned} & \{((g, l), (g', l')) \mid g(z) = l(x) - 1 \wedge l(y) = 2 \wedge g'(z) = 0 \wedge l'(x) = l(x) \wedge l'(y) = l(y)\} \\ & \supseteq \text{SUMMARY}(l_8) \end{aligned}$$

when we do not perform abstraction, i.e.,  $\alpha$  is the identity function.

Note that this example terminates, for a somewhat subtle reason: in the case we get into the loop the recursive callsite will be invoked twice, but each time with a value that is less than the current value of  $x$ , as  $y$  will equal 2 and then 1.

*Equivalence wrt. partial correctness* We develop a procedure for replacing procedure calls at their callsites with procedure summaries:

**procedure** TRANSFORM


**input**

$q$  : caller  
 $n$  : call node

**begin**

- 1  $CALL(p, \tau) := \mathcal{L}(n)$
  - 2  $(n, n') \in E_q$
  - 3  $\tau' :=$  fresh transition
  - 4  $T := T \cup \{\tau'\}$
  - 5  $\rho_{\tau'} := \{(g, l), (g', l') \mid \text{exists } l' \in L_p \text{ s.t. } ((g, l), (g', l')) \in \rho_{\tau} \circ \text{SUMMARY}\}$
  - 6  $\mathcal{L}(n) := OP(\text{skip}_q)$
  - 7  $\mathcal{L}(n') := OP(\tau')$
- end.**

In essence this procedure searches for callsites in the form (a) in the picture below, and replaces them with (b):



The program transformation PARTIALCFL replaces procedure calls by intraprocedural operations based on summaries computed by TRANSFORM:

**function** PARTIALCFL

**input**

$P$  : program


**begin**

- 1  $SUMMARY := \text{SUMMARIZE}(P)$
  - 2 **foreach**  $n \in N_{p_{\text{main}}}$  **when**  $\mathcal{L}(n) = CALL(p, \tau)$  **do**
  - 3     TRANSFORM( $p_{\text{main}}, n$ )
  - 4 **done**
  - 5  $P := \{p_{\text{main}}\}$
  - 6 **return**  $P$
- end.**

In more detail, the label of each call node in the control flow graph is transformed into the label of the (intraprocedural) skip operation. The skip transition leads to the successor node in the control flow graph which was originally a return node but is now labeled with the (intraprocedural) operation  $OP(\tau')$ . The transition  $\tau'$  is the composition of the transition  $\tau$  in the original label of the call node (the “parameter passing”) and the application of the summary relation.

The resulting program  $PARTIALCFL(P)$  consists of a single (non-recursive) procedure. All nodes labeled by an intraprocedural operation  $OP(\tau)$ . Its transition relation does not use stack content, i.e., its computations consist of triples of the form  $(g, l, \varepsilon)$  where the stack is always empty. Theorem 1 provides a logical basis of such reduction. It relies on the correctness of the summary computation algorithm  $SUMMARIZE$ , and follows from Theorem 4.1 in [30].

*Example 2* Recall the simple program from Example 1, whose program graph is displayed in Fig. 2. When given this graph,  $PARTIALCFL$  would produced the following procedure:



Any partial-correctness Hoare triple  $\{P\}main\{Q\}$  valid in the original program holds in the modified program.

**Theorem 1** (PARTIALCFL preserves partial correctness [30]) *The validity of Hoare triples for partial program correctness is preserved by the transformation PARTIALCFL. That is, a triple  $\{\phi\}P\{\psi\}$  for the program  $P$  with procedures is valid under partial correctness if the triple  $\{\phi\}PARTIALCFL(P)\{\psi\}$  for the program  $PARTIALCFL(P)$  without procedures is*

**Fig. 3** Program transformation TOTALCFL. Theorem 2 provides a logical characterization of the transformation

```

function TOTALCFL
input
  P : program
begin
1  SUMMARY := SUMMARIZE(P)
2  foreach p ∈ P \ {pmain} do
3    Npmain := Npmain ∪ Np
4    Epmain := Epmain ∪ Ep
5    Vpmain := Vpmain ∪ Vp
6  done
7  foreach q ∈ P do
8    foreach n ∈ Nq when L(n) = CALL(p, τ) do
9      TRANSFORM(q, n)
10     n' := fresh node
11     Npmain := Npmain ∪ {n'}
12     Epmain := Epmain ∪ {(n, n'), (n', sp)}
13     L(n') := OP(τ)
14    done
15  done
16  P := {pmain}
17  return P
end.

```

valid under partial correctness, and the opposite direction holds if the abstraction function used in the summarization procedure is the identity function, i.e.,


$$\begin{aligned} \models_{par} \{\phi\}P\{\psi\} & \quad \text{if} \quad \models_{par} \{\phi\}\text{PARTIALCFL}(P)\{\psi\}, \\ \models_{par} \{\phi\}\text{PARTIALCFL}(P)\{\psi\} & \quad \text{if} \quad \models_{par} \{\phi\}P\{\psi\} \text{ and } \alpha(x) = \lambda x.x. \end{aligned}$$

The transformation PARTIALCFL can be extended in a straightforward way to preserve not only Hoare triples but also the validity of assertions within procedure bodies.

### 3 Total correctness

See Fig. 3. The program transformation TOTALCFL replaces each procedure call (of the procedure  $p$ ) by a non-deterministic choice between two intraprocedural transitions: the application of the summary and the (intraprocedural!) jump transition to the start node of the procedure  $p$ . Informally this transformation has the effect of replacing every recursive call site to a procedure  $p$  with a conditional non-recursive command. For example, in the case of the code from Example 1, the recursive call to  $f$  would be replaced in the graph-based program representation with a conditional transition which we might express in program syntax as **if** \* **then**  $z := 0$ ; **else**  $x := x - y$ ; **goto**  $s_f$  **fi**.

See Fig. 3 for the formal description of the transformation. For the first of the two transitions, the transformation calls the procedure TRANSFORM defined on Page 376. For the second of the two transitions, the transformation adds an edge from the call node to the entry node to the control flow graph. The original label of the entry node, START( $p$ ) is replaced by the label OP( $\tau_s$ ) with the new transition  $\tau_s$ . This transition is the union of all transitions  $\tau$  in the labels CALL( $p, \tau$ ) of all call nodes from which the procedure  $sgProc$  can be called (those transitions perform the “parameter passing”).




**Fig. 4** Program transformation TOTALCFL at call, return and start nodes. (a)–(b) shows additional nodes  $n'_1$  and  $n'_m$  between call nodes  $n_1$  and  $n'_m$  and a start node  $s_p$ . (c)–(d) demonstrates how a return node  $p'$  is decorated with summaries using an operation label  $OP(\tau')$ . We observe that the interprocedural edges between call and start nodes are replaced by intraprocedural edges. Note that interprocedural edges between exit and return nodes are removed

The two transitions follow the two outgoing edges from what was the call node in the old program. The label of that node is updated to the operation with the skip transition. Informally, this update means that the two new transitions must accommodate the “parameter passing.”

Note that the transformation does not add an edge between the exit node and the return node to the control flow graph.

*Example 3* Figure 5 shows the output of TOTALCFL, when applied to Example 1’s program graph from Fig. 2. Note that TOTALCFL introduces new nodes, where commands for parameter-passing are stored. Call-edges are then replaced with standard control-edges. Unlike PARTIALCFL, the set of reachable procedures after an application of TOTALCFL remains the same—though technically the bodies are no longer treated as procedures. Note



**Fig. 5** Control-flow graph from Example 3, which is the output of TOTALCFL when applied to the program in Example 1 and Fig. 2. Note that  $SUMMARY(\ell_2)$  and  $SUMMARY(\ell_2)$  both represent commands with the relational meaning equaling  $x' = x' \wedge y' = y \wedge z' = 0$

that all partial-correctness or total-correctness Hoare triples that valid in the original program remain valid in the modified program.

Theorem 2 below holds for recursive programs over unbounded data domains. An equivalent statement for the case of finite data domains is given by Theorem 12 in [3].

**Theorem 2** (TOTALCFL preserves total correctness) *The validity of Hoare triples for total program correctness is preserved by the transformation TOTALCFL. That is, a triple*

$\{\phi\}P\{\psi\}$  for the program  $P$  with procedures is valid under total correctness valid if and only if the triple  $\{\phi\}\text{TOTALCFL}(P)\{\psi\}$  for the program  $\text{TOTALCFL}(P)$  without procedures is valid under total correctness, and the opposite direction holds if the abstraction function used in the summarization procedure is the identity function, i.e.,

$$\begin{aligned} \models_{tot} \{\phi\}P\{\psi\} & \quad \text{if} \quad \models_{tot} \{\phi\}\text{TOTALCFL}(P)\{\psi\}, \\ \models_{tot} \{\phi\}\text{TOTALCFL}(P)\{\psi\} & \quad \text{if} \quad \models_{tot} \{\phi\}P\{\psi\} \text{ and } \alpha(x) = \lambda x.x. \end{aligned}$$

*Proof (sketch)* First, we prove that if the program  $P$  does not terminate then there is in infinite computation in the transformed program  $\text{TOTALCFL}(P)$ . Let  $\sigma = \sigma_0, \sigma_1, \dots$  be an infinite computation of  $P$ . We construct the corresponding infinite computation  $\sigma'$  by traversing  $\sigma$  and inspecting its triples that are labeled by call nodes using the check described below. The outcome of the check determines which branch to take when traversing the corresponding node in the program  $\text{TOTALCFL}(P)$ .

Let  $(g_i, l_i, st_i)$  be a triple at the call node, i.e.,  $\mathcal{L}(l) = \text{CALL}(p, \tau)$ . We consider the suffix of  $\sigma$  that starts at  $\sigma_i$ . We check if it contains a triple  $(g_j, l_j, st_j)$  that corresponds to the matching return node, i.e.,  $st_j = st_i$  and for each triple  $(g_k, l_k, st_k)$  between  $i$  and  $j$  the stack  $st_k$  is strictly larger than  $st_i$ . In case there is such a matching triple, we follow the branch of  $\text{TOTALCFL}(P)$  that corresponds to the edge  $(l_i\text{pc}, l_j\text{pc})$  that connects the call and return nodes in  $P$ . Otherwise, we follow the other branch, which goes to the start node of  $p$ . Following this steps we construct an infinite computation in  $\text{TOTALCFL}(P)$ , as we never need to follow the omitted interprocedural edges between exit and return nodes.

Now we prove that for every infinite computation of  $\text{TOTALCFL}(P)$  there is a corresponding infinite computation in  $P$ . We apply a construction similar to the one above, but this time we traverse the infinite computation of  $\text{TOTALCFL}(P)$ . When visiting a triple  $(g, l, \varepsilon)$  that corresponds to a call node with the label  $\text{CALL}(p, \tau)$  in the program  $P$ , we look one step ahead and do the following case analysis. If the successor triple  $(g', l', \varepsilon)$  is at the node that was present in  $P$  (and hence was labeled by  $\text{RETURN}(p)$ ), then we expand the  $P$ -computation  $\sigma$  by adding a computation segment between  $(g, l, \varepsilon)$  and  $(g', l', \varepsilon)$ . Such a segment exists, since the pair  $(g, l)$  and  $(g', l')$  appears in the summary relation that we used to construct  $\text{TOTALCFL}(P)$ . Otherwise, we proceed to the next triple and push  $l$  on the stack content in the  $P$  computation. □


*Example 4* When developing tools based on abstraction we aim to find methods in which the largest abstraction suffices in the common case. In the case of recursive functions the common case is a function with only a single recursive call (i.e. functions in which the recursive call sites do not appear in loops, and multiple recursive call sites do not occur). Consider, for example, the factorial function:

```

procedure fact(x) begin
 $\ell_1$ :   if  $x > 1$  then
 $\ell_2$ :      $y := \text{fact}(x - 1)$ ;
 $\ell_3$ :     return  $y * x$ ;
          fi
 $\ell_4$ :     return 1;
end
    
```

This example would result in the supergraph displayed in Fig. 6.

Note that even the weakest possible summary, **true**, suffices to prove termination in this example, as the only cyclic path through the control flow graph does not visit  $\ell_2$ . In fact, the only case in which a summary stronger than **true** will be required are those in which an outer loop is used (see the example below), or the function has multiple recursive calls within it.




**Fig. 6** Control-flow graph of function from Example 4 after the application of TOTALCFL. Note that the choice of  $SUMMARY(\ell_2)$  is not important, as even the summary **true** suffices to prove termination

*Example 5* Consider a slight modification to the function from Example 1:

```

procedure f(x) begin
  local y initially 0;
  l4:   if x > 0 then
  l5:     y := 2;
  l6:     while y ≥ 0 do
  l7:       z := z - 1;
  l8:       f(x - y);
  l9:       y := y - 1;
        done
      fi
  l10:  exit;
end
    
```



**Fig. 7** Control-flow graph fragment from code of Example 5, after application of TOTALCFL

Note that, because of the change of the conditional  $y > 0$  to  $y \geq 0$ , the procedure no longer guarantees termination. The non-terminating executions introduced by the change have the characteristic that they enter *and exit* infinitely often through of recursive call sites. This is because all non-terminating executions visit through the recursive call after the third iteration of the loop. This case is interesting because it shows why its crucial to consider *both* cases of the non-deterministic branch—the counterexample to termination in the transformed program will necessarily have to visit both sides of the non-deterministic conditional infinitely-often. To see why this is true consider the program after transformation (where we are using the sound summary  $x' = x \wedge y' = y$  at the recursive call sites. See Fig. 7. The only

non-terminating execution in the modified program is the cycle  $s_f \rightarrow \ell_4 \rightarrow \ell_{4t} \rightarrow \ell_5 \rightarrow \ell_6 \rightarrow \ell_7 \rightarrow \ell_8 \rightarrow \ell_{8r} \rightarrow \ell_4 \rightarrow \ell_{4t} \rightarrow \ell_6 \rightarrow \ell_7 \rightarrow \ell_8 \rightarrow \ell_{8r} \rightarrow \ell_4 \rightarrow \ell_{4t} \rightarrow \ell_6 \rightarrow \ell_7 \rightarrow \ell_8 \rightarrow \ell_{8c}$

*Example 6* When proving a liveness property such as “call site location  $\ell_3$  can only be visited infinitely-often”, the reader may be tempted to modify the transformation at other call sites such that only the summary is used, and not the added edge back to the beginning of the procedure. Such an optimization would be unsound, as this example shows:

```

procedure f(x) begin
   $\ell_1$ :   if  $x = 0$  then
   $\ell_2$ :      $f(1)$ ;
           else
   $\ell_3$ :      $f(0)$ ;
           fi
   $\ell_4$ :   return;
end

```

This program’s control-flow graph, after TOTALCFL, can be found in Fig. 8. If we are only considering the possibility of infinite executions through  $\ell_3$ , for example, we might be tempted to drop the edge from  $\ell_{2c}$  to  $s_f$ . The reason that this would be unsound, in this case, is that all infinite executions alternates strictly between the two call sites. Thus the program with the edge from  $\ell_{2c}$  to  $s_f$  removed guarantees termination.

*Example 7* We find the summaries are also useful when proving non-termination. Consider the following example:

```

 $\ell_1$ :   while  $x > 0$  do
   $\ell_2$ :      $f(x)$ ;
   $\ell_3$ :      $x := x + 1$ ;
od

```


where  $f$  is defined as:

```

procedure f(x) begin
   $\ell_4$ :   if  $x > 0$  then
   $\ell_5$ :      $f(x - 1)$ ;
           fi
   $\ell_6$ :   return;
end

```

This program causes termination provers such as TERMINATOR [11] to diverge, as every cyclic path is well-founded, but the program itself does not terminate. The difficulty with this program is that the number of unfoldings of  $f$  tells us the value of  $x$ , thus every valid program path location  $\ell_1$  back to  $\ell_1$  contains enough information to determine the concrete values of  $x$ . Thus because  $x' = x + 1$  and  $x' \leq c$  for some concrete value  $c$  determined by the length of the cycle, we know that each cycle will be well-founded, whereas the program clearly does not terminate. It is for this reason that tools such as TERMINATOR diverge while examining an infinite set of cyclic paths. Note that  $x' = x$  is a sound *and* complete summary at  $\ell_2$ , thus we can use the summary to prove non-termination (using recurrence sets [17]).



**Fig. 8** Control-flow graph of function from Example 6 after the application of TOTALCFL

### 4 Conclusion

We have presented a practical interprocedural program analysis for automatic termination and total correctness proofs. The primary hurdle towards this goal was the dichotomy between the trace-based semantics (for termination) and the denotational (relational) semantics for recursion. In our method, we factor out the recursion analysis from the termination analysis. We first transform the recursive program under consideration into a semantically equivalent non-procedural program. The interprocedural reachability analysis during the first step can safely ignore the termination task; i.e., it considers only finite prefixes of traces, as opposed to (full infinite) traces as it would be required for termination. The termination analysis in the second step then uses the semantics of infinite traces of a non-procedural program.

Our implementation uses transition-predicate abstraction [26] to implement both the relational abstraction of the program and the abstraction of the relational semantics of procedures (approximating reachable computation segments for the summarization).

The immediate next question that arises from our work is how to embed the analysis method into a counterexample-guided abstraction refinement loop. This raises an interesting

topic of research. We do not yet know an elegant way to pass back and forth counterexamples between the termination analysis of the non-procedural program and the interprocedural analysis of the recursive program.

An orthogonal direction for future research is the interprocedural analysis of termination and liveness properties for concurrent programs, based on existing work for summaries for concurrent programs, e.g., [22, 29].

## References

1. Alur R, Madhusudan P (2004) Visibly pushdown languages. In: STOC. ACM, New York
2. Alur R, Etesami K, Madhusudan P (2004) A temporal logic of nested calls and returns. In: TACAS. Springer, Berlin
3. Alur R, Benedikt M, Etesami K, Godefroid P, Reps TW, Yannakakis M (2005) Analysis of recursive state machines. *ACM Trans Program Lang Syst*
4. Alur R, Chaudhuri S, Madhusudan P (2006) A fixpoint calculus for local and global program flows. In: POPL. ACM, New York
5. Ball T, Rajamani SK (2000) Bebop: A symbolic model checker for Boolean programs. In: SPIN. Springer, Berlin
6. Ball T, Rajamani SK (2001) Bebop: a path-sensitive interprocedural dataflow engine. In: PASTE
7. Bouajjani A, Esparza J, Maler O (1997) Reachability analysis of pushdown automata: Application to model-checking. In: CONCUR. Springer, Berlin
8. Bourdoncle F (1993) Abstract debugging of higher-order imperative languages. In: PLDI. ACM, New York
9. Bradley A, Manna Z, Sipma H (2005) Termination of polynomial programs. In: VMCAI
10. Colón M, Sipma H (2002) Practical methods for proving program termination. In: CAV
11. Cook B, Podelski A, Rybalchenko A (2006) Termination proofs for systems code. In: PLDI. ACM, New York
12. Dijkstra EW, Scholten CS (1989) Predicate calculus and program semantics. Springer, Berlin
13. Esparza J, Podelski A (2000) Efficient algorithms for pre\* and post\* on interprocedural parallel flow graphs. In: POPL. ACM, New York
14. Esparza J, Schwoon S (2001) A bdd-based model checker for recursive programs. In: CAV. Springer, Berlin
15. Esparza J, Hansel D, Rossmann P, Schwoon S (2000) Efficient algorithms for model checking pushdown systems. In: CAV. Springer, Berlin
16. Gotsman A, Berdine J, Cook B (2006) Interprocedural shape analysis with separated heap abstractions. In: SAS. Springer, Berlin
17. Gupta A, Henzinger TA, Majumdar R, Rybalchenko A, Xu R-G (2008) Proving non-termination. In: POPL. ACM, New York
18. Jeannot B, Loginov A, Reps TW, Sagiv S (2004) A relational approach to interprocedural shape analysis. In: SAS. Springer, Berlin
19. Jhala R, Majumdar R (2007) Interprocedural analysis of asynchronous programs. In: POPL. ACM, New York
20. Kodumal J, Aiken A (2004) The set constraint/CFL reachability connection in practice. In: PLDI. ACM, New York
21. Lal A, Reps TW (2006) Improving pushdown system model checking. In: CAV. ACM, New York
22. Lal A, Touili T, Kidd N, Reps TW (2008) Interprocedural analysis of concurrent programs under a context bound. In: TACAS. Springer, Berlin
23. Lee CS, Jones ND, Ben-Amram AM (2001) The size-change principle for program termination. In: POPL
24. Manolios P, Vroon D (2006) Termination analysis with calling context graphs. In: CAV. Springer, Berlin
25. Podelski A, Rybalchenko A (2004) Transition invariants. In: LICS. IEEE, New York
26. Podelski A, Rybalchenko A (2005) Transition predicate abstraction and fair termination. In: POPL
27. Podelski A, Rybalchenko A (2007) ARMC: the logical choice for software model checking with abstraction refinement. In: PADL
28. Podelski A, Schaefer I, Wagner S (2005) Summaries for total correctness of recursive programs. In: ESOP. Springer, Berlin
29. Qadeer S, Rajamani SK, Rehof J (2004) Summarizing procedures in concurrent programs. In: POPL. ACM, New York

30. Reps TW, Horwitz S, Sagiv S (1995) Precise interprocedural dataflow analysis via graph reachability. In: POPL
31. Reps TW, Schwoon S, Jha S, Melski D (2005) Weighted pushdown systems and their application to interprocedural dataflow analysis. *Sci Comput Program*
32. Reps TW, Lal A, Kidd N (2007) Program analysis using weighted pushdown systems. In: FSTTCS. Springer, Berlin
33. Sharir M, Pnueli A (1981) Two approaches to interprocedural data flow analysis. In: *Program Flow Analysis: Theory and Application*. Prentice Hall, Englewood Cliffs